

Scars and implants (taken from Dr Malanga's Alien Cicatrix)



02



01

PHOTO 01 - 02 Cassical scar on tibial plateau, usually the left one, that correnponds to a little osseous tissue's sample taken from the shinbone.



04




03

PHOTO 03 - 04 Frontal scar: usually it appears during the night and it's noticed the following morning.



05

PHOTO 05 - Frontal scar: usually it appears during the night and it's noticed the following morning.



07

06

PHOTO 06-07 Classical scar that looks like a little and thin white cut. Usually it's situated between the forefinger and the middle finger of the right hand. There

is something hard to the touch associated with the scar, that seems like a cyst. But X-rays show that it's a foreign object, apparently metallic, that in some cases disappears as fast as it appeared.



08

09

PHOTO 08 - 09 There are two different types of back scars. The first one stands vertically and probably it is related to a spinal cord harvest occurred during an abduction session. The second one is horizontal and it has unknown origins.




10

11

PHOTO 10 - 11 The hypophyseal implant is realized breaking the sphenoid on the right side. Afterwards there is a blood loss from the corresponding nostril. That has the tendency to occur repeatedly, especially during the night.



13



12

PHOTO 12 - 13 Implant inside the ear is approximately 7 millimeters long, it's endowed with an antenna and perhaps it is used to activate the hypophysis implant. Sometimes it produces a loud and sharp ringing in the ear, in conjunction with the data transmission.




14

PHOTO 14 - There is also an implant put outside the ear, between the side of the skull and the back of the external ear. It is always possible to notice the corresponding scars, that look like some little cut. One can feel to the touch a little lump, sometimes it is confused with a fat lump and usually it is not present on the other ear, in symmetric position.



16



15

PHOTO 15 - 16 Not-alien implants, terrestrial manufactured microchips are used in this case. These implants are introduced in the abductees' teeth, but not in the upper dental arch like the aliens' one, that is less thick.

Original Language: Italian

Author: Prof. Dr. Corrado Malanga